


วิธีการติดตั้ง **Truetalk Softphone**


1. คลิกโปรแกรมที่ download ชื่อ “TrueNetTalk 1.2.zip” จาก www.truennettalk.com
2. ปฏิบัติตามขั้นตอนโปรแกรมช่วยติดตั้งจนจบ
3. และคลิกเริ่มโปรแกรมที่ “TrueNetTalk 1.2.zip”

เริ่มต้นการติดตั้ง


1. ดับเบิลคลิกที่ TrueNetTalk 1.2.exe




2. ยินดีต้อนรับ คลิกที่ “Next”




3. เลือก folder ที่จะลงโปรแกรม ตัว software จะกำหนดที่ C:\Program Files\TrueNetTalk แล้วคลิก “Next”




3. เลือกคลิกองค์ประกอบในการติดตั้ง default จะเลือกทั้งหมด แล้วคลิก “Next”



4. โปรแกรมทำการติดตั้ง



5. เมื่อลงโปรแกรมเสร็จ คลิก "finish"




6. จะมี Icon true talk แล้วดับเบิลคลิกเพื่อเริ่มต้นการใช้งาน จะมีช่อง Username and Password แล้ว Sign In

Username = 99xxxxxxxx

(The phone number you received from registration)

Password = your password


(Password you received from registration)



7. Dial pad เมื่อพร้อมใช้งาน ใช้เมาส์คลิกที่ หมายเลข หรือ ปุ่มสีเขียว แล้ว



8. Connected กำลังสนทนา และ วางสาย คลิกปุ่มสีแดง







Statistics true talk 1.02



Sender - 028510099	Receiver - 026439081
Codec: G711	Codec: G711
Bit Rate: 78.37	Bit Rate: 78.32
Packets Send: 400	Packets Received: 400
<input type="checkbox"/> Echo Cancellation	Audio Resync: 0
<input type="checkbox"/> Voice Activity Detection	Packets Lost: 0
<input checked="" type="checkbox"/> Packet Loss Concealment	Packets Late: 0
<input checked="" type="checkbox"/> Remove Noise (Denoise)	Buffer Size: 200
<input type="checkbox"/> Auto Gain Control	Loss Late: 0.00
<input type="checkbox"/> Remove Reverberation	RTCP Port: 3270
Signal Port: 3262	RTP Port: 3269



028510099
026439081
11:23
00:08
17-05-06

Phone Number: 026439081

1 2 3 Redial

4 5 6  

7 8 9   Statistics

* 0 # Sign Out

Exit

Connected | G711 | Ins